UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/811,982	03/30/2004	Atul Puri	13316-3277	3132
23838 KENYON & K	7590 04/13/200 ENYON LLP	EXAMINER		
1500 K STREE SUITE 700	T N.W.	HOLDER, ANNER N		
WASHINGTON	N, DC 20005		ART UNIT	PAPER NUMBER
			2621	
			MAIL DATE	DELIVERY MODE
			04/13/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/811,982	PURI ET AL.		
Office Action Summary	Examiner	Art Unit		
	ANNER HOLDER	2621		
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with th	ne correspondence address		
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory perior - Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICAT 1.136(a). In no event, however, may a reply but the dwill apply and will expire SIX (6) MONTHS that, cause the application to become ABANDO	ION.  be timely filed  from the mailing date of this communication.  DNED (35 U.S.C. § 133).		
Status				
1)☑ Responsive to communication(s) filed on 12/ 2a)☐ This action is <b>FINAL</b> . 2b)☑ Th  3)☐ Since this application is in condition for allow closed in accordance with the practice under	ris action is non-final.			
Disposition of Claims				
4)  Claim(s) 1-27 is/are pending in the applicatio 4a) Of the above claim(s) is/are withdr 5)  Claim(s) is/are allowed. 6)  Claim(s) 1-27 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction and/ Application Papers 9)  The specification is objected to by the Examir 10)  The drawing(s) filed on 30 March 2004 is/are: Applicant may not request that any objection to the	rawn from consideration.  /or election requirement.  ner. : a)⊠ accepted or b)□ objecte	•		
Replacement drawing sheet(s) including the corre		•		
11) The oath or declaration is objected to by the E	Examiner. Note the attached On	ice Action or form PTO-152.		
Priority under 35 U.S.C. § 119  12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.				
Attachment(s)  1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4)  Interview Summ Paper No(s)/Ma 5)  Notice of Inform 6)  Other:			

## **DETAILED ACTION**

## Response to Arguments

1. Applicant's arguments with respect to claims 1-14, 17-19 have been considered but are most in view of the new ground(s) of rejection.

2. Applicant's arguments filed 012/15/08 have been fully considered but they are not persuasive. As to Applicant's arguments regarding Hsia, Examiner respectfully disagrees. The Q-slice disclosed represents the entire frame when the fame is an I-frame thus all slices are equal. Further, the complexity is represented when there are a number of slices within the frame that are different. Hsia teaches the comparison of the current and previous quantization value. [fig. 3] The prior art fairly suggest and teaches the limitations as claimed.

## Claim Rejections - 35 USC § 101

3. Claims 1-14 are rejected under 35 U.S.C. 101 as not falling within one of the four statutory categories of invention. Supreme Court precedent and recent Federal Circuit decisions indicate that a statutory "process" under 35 U.S.C. 101 must (1) be tied to another statutory category (such as a particular apparatus), or (2) transform underlying subject matter (such as an article or material) to a different state or thing. While the instant claim(s) recite a series of steps or acts to be performed, the claim(s) neither transform underlying subject matter nor positively tie to another statutory category that accomplishes the claimed method steps, and therefore do not qualify as a statutory process. For example the method for rate control including the steps of "determining", "generating", and "selecting" is of sufficient breadth that it would be reasonably

Art Unit: 2621

interpreted as a series of steps completely performed mentally, verbally, or without a machine. The Applicant has not tied the method for rate control including the steps of "determining", "generating", and "selecting" to a particular apparatus to perform the

method as claimed.

4. Claims 21-26 are rejected under 35 U.S.C. 101 as not falling within one of the four statutory categories of invention. Supreme Court precedent and recent Federal Circuit decisions indicate that a statutory "process" under 35 U.S.C. 101 must (1) be tied to another statutory category (such as a particular apparatus), or (2) transform underlying subject matter (such as an article or material) to a different state or thing. While the instant claim(s) recite a series of steps or acts to be performed, the claim(s) neither transform underlying subject matter nor positively tie to another statutory category that accomplishes the claimed method steps, and therefore do not qualify as a statutory process. For example the method for identifying a scene change including the steps of "computing", "comparing", and "generating" is of sufficient breadth that it would be reasonably interpreted as a series of steps completely performed mentally, verbally, or without a machine. The Applicant has not tied the method for identifying a scene change including the steps of "computing", "comparing", and "generating" to a particular apparatus to perform the method as claimed.

## Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

<sup>(</sup>a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 6. Claims 1-4 and 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tajime US 6,915,018 B1 in view Hanamura et al US 6,587,508 B1 further in view of Ribas-Corbera et al. (Ribas) US 6,111,991.
- 7. As to claim 1, Tajime teaches determining a target bitrate for a picture in the sequence based on the picture's complexity, [col. 8 lines 6-26; fig. 1; fig. 2; fig. 6] generating a first quantizer estimate for the picture based on a fullness indicator from a transmit buffer of a video coder, [col. 8 lines 6-26; fig. 1; fig. 2; fig. 6; the feedback loop from the coder provides the buffer fullness indication] generating a second quantizer estimate for the picture of quantizer assignments made to prior pictures of a same type, actual coding rates achieved by such quantizer assignments and the target bitrate, and selecting a quantizer based on a difference between the two quantizer estimates and based on the picture's complexity. [fig. 1; fig. 2; col. 7 line 66 col. 8 line 37; col. 10 lines 23-33]

Tajime discloses the use of a feedback loop from the coding device which adjusts the bit rate of the system acting as a buffer fullness indicator. [col. 8 lines 6-26; fig. 1; fig. 2; fig. 6; the feedback loop from the coder provides the buffer fullness indication] However, Tajime does not explicitly state a buffer full indicator.

Hanamura teaches the use of a buffer fullness indicator from a transmit buffer. [fig. 1; fig. 5; fig. 6; col. 21 lines 11-67]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Hanamura with the device of Tajime allowing for effective rate control in transmission of data. [col. 11 lines 23-24]

Tajime (modified by Hanamura) does not explicitly teach the use of linear regression regarding a quantizer.

Ribas teaches linear regression in determining a quanizer value. [col. 6 lines 62-65; col. 7 lines 37-48]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the linear regression teachings of Ribas with the device of Tajime (modified Hanamura) improving image quality and coding efficiency. [col. 2 lines 33-36]

- 8. As to claim 2, Tajime (modified by Hanamura and Ribas) teaches the picture's complexity is determined by analyzing spatial complexity within the picture. [Tajime fig. 1; fig. 2; col. 7 lines 38 col. 8 line 10]
- 9. As to claim 3, Tajime (modified by Hanamura and Ribas) teaches the picture's complexity is determined by analyzing motion complexity of the picture with respect to previously coded pictures. [Tajime fig. 1; fig. 2; col. 7 lines 38 col. 8 line 10]
- 10. As to claim 4, Tajime (modified by Hanamura and Ribas) teaches the picture's complexity is determined by analyzing a number of bits used to represent each pixel in the picture. [Tajime col. 9 lines 22-61]
- 11. As to claim 13, Tajime (modified by Hanamura and Ribas) teaches when the picture is an I picture, the linear regression is performed using predetermined assumed

values for the prior quantizer assignments and actual coding rates. [Ribas - col. 6 lines 62-65; col. 7 lines 37-48]

- 12. As to claim 14, Tajime (modified by Hanamura and Ribas) teaches when the picture is an P picture, the linear regression is performed using quantizer assignments and actual coding rates for three prior P pictures. [Ribas col. 6 lines 62-65; col. 7 lines 37-48]
- 13. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tajime US 6,915,018 B1 in view Hanamura et al US 6,587,508 B1 further in view of Ribas-Corbera et al. (Ribas) US 6,111,991 further in view Nishikawa et al. US 6,222,887.
- 14. As to claim 5, Tajime (modified by Hanamura and Ribas) teaches limitations of claim 1.

Tajime (modified by Hanamura and Ribas) does not explicitly teach selectively canceling transform coefficients of coded blocks in the picture according to a rate control policy selected for the picture.

Nishikawa teaches selectively canceling transform coefficients of coded blocks in the picture according to a rate control policy selected for the picture. [fig. 14; col. 28 lines 46-63; col. 29 lines 14-33]

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Nishikawa with the device of Tajime (modified by Hanamura and Ribas) to improve image quality.

15. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tajime US 6,915,018 B1 in view Hanamura et al US 6,587,508 B1 further in view of Ribas-Corbera et al. (Ribas) US 6,111,991 further in view Nagumo et al. US 7,158,570 B2.

16. As to claim 6, Tajime (modified by Hanamura and Ribas) teaches the limitations of claim 1.

Tajime (modified by Hanamura and Ribas) does not explicitly teach selectively canceling motion vectors of coded blocks in the picture according to a rate control policy selected for the picture.

Nagumo teaches selectively canceling motion vectors of coded blocks in the picture according to a rate control policy selected for the picture. [Col. 20 lines 21-44]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Nagumo with the device of Tajime (modified by Hanamura and Ribas) to improve image quality.

- 17. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tajime US 6,915,018 B1 in view Hanamura et al US 6,587,508 B1 in view of Ribas-Corbera et al. (Ribas) US 6,111,991 further in view of Hsia US 2004/0146108 A1 and further in view of Sugiyama US 6,940,911 B2.
- 18. As to claim 7, Tajime (modified by Hanamura and Ribas) teaches the limitations of claim 1.

Tajime (modified by Hanamura and Ribas) does not explicitly teach decimating pictures within the video sequence according to a rate control policy selected for the picture.

Sugiyama teaches decimating pictures within the video sequence according to a rate control policy selected for the picture. [Fig. 7; Fig. 11; Fig. 14; Col. 15 lines 10-19, 61-67; Col. 16 lines 3-7]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Sugiyama with the device of Tajime (modified by Hanamura and Ribas) allowing for improving the image quality.

- 19. Claims 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tajime US 6,915,018 B1 in view Hanamura et al US 6,587,508 B1 further in view of Ribas-Corbera et al. (Ribas) US 6,111,991 further in view of Chiang et al. US 6,192,081 B1.
- 20. As to claim 8, Tajime (modified by Hanamura and Ribas) teaches the limitations of claim 1.

Tajime (modified by Hanamura and Ribas) does not explicitly teach selecting a coding mode for blocks of the picture according to a rate control policy selected for the picture. Chiang teaches selecting a coding mode for blocks of the picture according to a rate control policy selected for the picture. [fig. 1; col. 3 lines 33-35; col. 4 lines 44-61; col. 6 lines 58-67]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Chiang with the device of Tajime (modified by Hanamura and Ribas) allowing for improved coding efficiency.

21. Claims 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tajime US 6,915,018 B1 in view Hanamura et al US 6,587,508 B1 further in view of Ribas-Corbera et al. (Ribas) US 6,111,991 further in view of Riek et al. US 7,148,908.

22. As to claim 9, Tajime (modified by Hanamura and Ribas) teaches the target bitrate is determined based on a number of bits (R) allocated to represent a group of pictures to which the picture belongs.

Tajime (modified by Hanamura and Ribas) does not explicitly teach a number (N) of like-kind pictures that will occur in the group of pictures.

Riek teaches a number (N) of like-kind pictures that will occur in the group of pictures. [col. 3 lines 29-64]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Riek with the device of Tajime to allow for improved image quality.

- 23. Claims 10-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tajime US 6,915,018 B1 in view Hanamura et al US 6,587,508 B1 further in view of Ribas-Corbera et al. (Ribas) US 6,111,991 further in view of Hui US 6,654,417.
- 24. As to claim 10, Tajime (modified by Hanamura and Ribas) teaches the limitations of claim 9.

Tajime (modified by Hanamura and Ribas) does not when the picture is an I picture, the target bitrate T.sub.i is determined by: Ti = max[R(1 + NPXPXIKP + NBXBXIKB)], bitrate 8 \* picture rate ], where R represents a number of bits allocated to

Art Unit: 2621

code a group of pictures in which the I picture resides, N.sub.P and N.sub.B respectively represent the number of P and B pictures that appear in a group of frames, X.sub.I and X.sub.P respectively represent complexity estimates for the I and P pictures in the group of frames, K.sub.P is a constant, K.sub.B is determined based on the complexity indicators, bitrate represents the number of bits allocated for coding of the group of pictures, and picturerate represents the number of pictures in the group of pictures.

Hui teaches when the picture is an I picture, the target bitrate T.sub.i is determined by: T i = max [ R ( 1 + N P X P X I K P + N B X B X I K B ) , bitrate 8 \* picturerate ] , where R represents a number of bits allocated to code a group of pictures in which the I picture resides, N.sub.P and N.sub.B respectively represent the number of P and B pictures that appear in a group of frames, X.sub.I and X.sub.P respectively represent complexity estimates for the I and P pictures in the group of frames, K.sub.P is a constant, K.sub.B is determined based on the complexity indicators, bitrate represents the number of bits allocated for coding of the group of pictures, and picturerate represents the number of pictures in the group of pictures. [Hui - Col. 6 line 55- Col. 7 line 5; Col. 11 lines 40-60] It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Hui with the device of Tajime allowing to improved image quality and coding.

25. As to claim 11, Tajime (modified by Hanamura, Ribas and Hui) teaches when the picture is a P picture, the target bitrate T.sub.p is determined by: T P = max [ R ( N P + N B K P X B K B X P ), bitrate 8 \* picture rate ], where R represents a number of bits

Art Unit: 2621

allocated to code a group of pictures in which the P picture resides, N.sub.P and N.sub.B respectively represent the number of P and B pictures that appear in a group of frames, X.sub.I and X.sub.P respectively represent complexity estimates for the I and P pictures in the group of frames, K.sub.P is a constant, K.sub.B is determined based on the complexity indicators, bitrate represents the number of bits allocated for coding of the group of pictures, and picturerate represents the number of pictures in the group of pictures. [Hui - Col. 6 line 55- Col. 7 line 5; Col. 11 lines 40-65]

- 26. As to claim 12, Tajime (modified by Hanamura, Ribas and Hui) teaches when the picture is a B picture, the target bitrate T.sub.b is determined by: 16 T B = max [ R ( N B + N P K B X P K P X B ) , bitrate 8 \* picturerate] , where N.sub.P and N.sub.B respectively represent the number of P and B pictures that appear in a group of frames, X.sub.I and X.sub.P respectively represent complexity estimates for the I and P pictures in the group of frames, K.sub.P is a constant, K.sub.B is determined based on the complexity indicators, bitrate represents the number of bits allocated for coding of the group of pictures, and picturerate represents the number of pictures in the group of pictures. [Hui Col. 6 line 55- Col. 7 line 5; Col. 11 lines 10-65]
- 27. Claims 15-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hsia US 2004/0146108 A1 in view of Ribas-Corbera et al. (Ribas) US 6,111,991.
- 28. As to claim 15, Hsia teaches a scene content analyzer having an input for source video data and an output for complexity indicators representing complexity of each picture in the source video data, a first quantizer estimator [Abstract; Fig. 3 (Scene

Detection Module, Quantization Decision Module, and Picture Type Decision Module); Pg. 4-5 ¶ 0045-0046] having an input for the source video data and complexity indicators, to generate a quantizer estimate of a picture based on a calculation of a target rate for coding the picture, [Fig. 3 (Quantization Decision Module); Abstract; Pg. 0044] a second quantizer estimator having an input for the complexity indicators and past values of quantizer selections and coding rates achieved therefrom, the second quantizer estimator to generate a second quantizer estimate for the picture based on a prior quantizer selections and coding rates for like-kind pictures, [Fig. 3 (Quantization Decision Module)] and a coding adapter, having inputs for the two quantizer estimates and the complexity indicators to select a quantizer for the picture based on a difference of the two quantizer estimates. [Abstract; Fig. 3 (Scene Detection Module, Quantization Decision Module, and Picture Type Decision Module); Pg. 4-5 ¶ 0045-0046]

Hsia is silent as to linear regression modeling quantization.

Ribas teaches linear regression modeling quantization. [col. 6 lines 62-65; col. 7 lines 37-48]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the linear regression teachings of Ribas with the device of Hsia improving image quality and coding efficiency.

29. As to claim 16, Hsia (modified by Ribas) teaches the coding adapter comprises a subtractor having inputs for the two quantizer estimates. [Hsia - Abstract; Fig. 3 (Scene Detection Module – Scene Change Detection); Pg. 4-5 ¶ 0044-0046]

Art Unit: 2621

30. Claims 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hsia US 2004/0146108 A1 in view of Ribas-Corbera et al. (Ribas) US 6,111,991 and further in view of Tajime US 6,915,018 B1.

31. As to claim 17, Hsia (modified by Ribas) teaches the limitation of a subtractor having inputs for the two quantizer estimates. [Fig. 3 (Scene Detection Module); Pg. 4-5 ¶ 0045]

Hsia (modified by Ribas) is silent as to a clipper coupled to an output of the subtractor.

Tajime teaches a clipper coupled to an output of the subtractor. [fig. 1; the quantization values are adjusted and subject to selection]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the clipper teachings of Tajime with the device of Hsia modified by Ribas to allow for removal of errors within an allowed range.

As to claim 18, Hsia (modified by Ribas and Mitchell) teaches a divider coupled to the output of the clipper. [Tajime - col. 1 lines 45-50; col. 4 lines 24-36]

32. As to claim 19, Hsia (modified by Ribas and Tajime) teaches a subtractor having a first input coupled to the output of the clipper and a second input for a value of a quantizer of a previously processed picture. [Tajime - fig. 1; Hsia - Fig. 3 (Mode Decision Mode)]

33. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hsia US 2004/0146108 A1 in view of Ribas-Corbera et al. (Ribas) US 6,111,991 further in view Mitchell et al. (Mitchell) US 6,256,422 B1.

34. As to claim 20, Hsia (modified by Ribas) teaches the limitations of claim 15.

Hsia (modified by Ribas) does not explicitly teach the coding adapter comprises a lookup table indexed by a complexity indicator representing complexity of the picture and the picture's coding type.

Mitchell teaches the coding adapter comprises a lookup table indexed by a complexity indicator representing complexity of the picture and the picture's coding type. [Mitchell - Col. 6 lines 26-34]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Mitchell with the device of Hsia (modified by Ribas) allowing for improved coding efficiency.

- 35. Claims 21-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pau US 6,223,193 B1 in view of Hsia US 2004/0146108 A1.
- 36. As to claim 21, Pau teaches for a plurality of macroblocks of an input picture, computing variances of a plurality of blocks therein, [fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5] comparing minimum variance values of the plurality of macroblocks to corresponding minimum variance values of macroblocks from a prior picture, [fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5] calculating an activity level of the input picture from the variances, [fig. 9; abstract; fig. 12; col. 6 lines 43-60;

Art Unit: 2621

col. 7 lines 1-5] comparing the activity level of the input picture to an activity level of the prior picture. [fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5]

Pau does not explicitly teach the generation of a scene change decision.

Hsia teaches generating a scene change decision. [Fig. 3 (Scene Detection Module); Pg. 4-5 ¶ 0045]

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Hsia with the device of Pau improving image quality and coding efficiency.

- 37. As to claim 22, Pau (modified by Hsia) teaches averaging the minimum variance values of each macroblock in the input picture, averaging minimum variance values of each macroblock in the prior picture, and comparing the average minimum variance values of the input picture to the average minimum variance values of the prior picture. [Pau fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5; Hsia Fig. 3; Pg. 4-5 ¶ 0044-0046]
- 38. As to claim 23, Pau (modified by Hsia) teaches averaging the minimum variance values of each macroblock in the input picture, averaging minimum variance values of each macroblock in the prior picture, normalizing each of the average minimum variance values, [Pau fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5] and determining a ratio between the normalized values of the input picture to the normalized values of the prior picture, and comparing the ratio to a predetermined threshold. [Pau fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5]

Art Unit: 2621

39. As to claim 24, Pau (modified by Hsia) teaches averaging variances of all blocks in the picture, and comparing the average variance value to the average minimum variance value for the picture. [Pau - fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5]

- 40. As to claim 25, Pau (modified by Hsia) teaches the comparison of activity levels comprises: determining a ratio between the activity level of the input picture and the activity level of the prior picture, and comparing the ratio to a predetermined threshold. [Pau fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5]
- 41. As to claim 26, Pau (modified by Hsia) teaches normalizing activity levels for the input picture, normalizing activity levels for the prior picture, and comparing the normalized activity levels to each other. [Pau fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5]
- 42. As to claim 27, Pau teaches variance calculator to calculate a plurality of variance values for each macroblock in a source image, [fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5] a minimum variance selector to select a minimum variance value for each macroblock, [fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5] a memory to store minimum variance values of a previously processed image, [col. 6 lines 28-42] a comparator to compare the minimum variance values of the source image to the minimum variance values of the previously processed image, an averager to calculate an average variance value for each macroblock, an activity calculate to calculate an activity level of the source image from the average variance values. [fig. 9; abstract; fig. 12; col. 6 lines 43-60; col. 7 lines 1-5]

Pau is silent as to decision logic to signal that the scene change based on a

comparison of an output from the comparator and the activity level of the source image.

Hsia teaches decision logic to signal that the scene change based on a comparison of

an output from the comparator and the activity level of the source image. [Fig. 3 -

Picture Decision Module]

It would have been obvious to one of ordinary skill in the art at the time the invention

was made to incorporate the teachings of Hsia with the device of Hui improving image

quality and coding efficiency.

Conclusion

43. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to ANNER HOLDER whose telephone number is

(571)270-1549. The examiner can normally be reached on M-Th, M-F 8 am - 3 pm

EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mehrdad Dastouri can be reached on 571-272-7418. The fax phone

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Art Unit: 2621

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Anner Holder/ Examiner, Art Unit 2621

/Tung Vo/ Primary Examiner, Art Unit 2621